

# VES-D0701

7 inch RF Vehicle (Forklift) Monitor

## Features

- 7inch IPS Display
- Support multi inputs - display setting 1:1, 1:2, 1:4
- OSD Function Keys
- Wide DC input Range
- RF Transmission
- Mounting kit & accessories provided
- Wide operating Temperature -20°C to +70°C
- Support auto-pairing

## Appearance





# VES-D0701

7 inch RF Vehicle (Forklift) Monitor

## Revision Table

Date	Revision	Content	By
2024/6/25	0.1	First Draft	Dennis

# VES-D0701

7 inch RF Vehicle (Forklift) Monitor

## Specification

<b>Display</b>	
Display Size	7 inch
Panel Type	IPS LCD
Resolution	1024 x 600 (RGB)
Viewing Angle	85/ 85/ 85/ 85
Contrast Ratio	800:1
Brightness	600 nits (Typ. Without filter)
Display Setting	Support 1:1, 1:2, 1:4 display
Response Time	25ms
<b>RF</b>	
Working Frequency	2400-2483.5 MHz
Transmission sensitivity	≤ - 86dBm
Transmission Distance	200-300 meter (Open Area)
<b>Environmental &amp; Others</b>	
Working Temperature	-20°C to +70°C
Storage Temperature	-30°C to + 80°C
Dimension	178.5 x 118.5 x 51.4mm (L x W x H)
Weight	420g

# VES-D0701

7 inch RF Vehicle (Forklift) Monitor

## Accessories



Cigarette Lighter Power Cord	Antenna	Bare Wires Power Cord	Display Mounting Kit	Protection Film
------------------------------	---------	-----------------------	----------------------	-----------------

## Product Appearance



OSD KEYS					
Power	Up	Down	Confirm	Menu	Channel

# VES-D0701

7 inch Vehicle (Forklift) Monitor

## Deliverables

1	7inch Vehicle (Forklift) Monitor
2	Cigarette Lighter Power Cord
3	Antenna
4	Bare Wires Power Cord
5	Display Mounting Kit
6	Protection Film

## Ordering Information

Model Name	Description	Unit
VES-D0701	7 inch RF Vehicle (Forklift) Monitor	1

